

## General Regulations

### 6.1. **Application**

This part shall apply to all land use districts under this Bylaw.

### 6.2. **Adult Entertainment**

Any site containing an adult entertainment facility must be located:

- (a) at least 150 m from the nearest residential district;
- (b) at least 100 m from any site on which there is an arena, school, religious assembly, day care facility, community hall or park;
- (c) at least 100 m from a P, PS or IF District; and
- (d) at least 25 m from the nearest site upon which there is another adult entertainment facility.

### 6.3. **Bare Land Condominium Use**

- (1) A bare land condominium unit must comply with all the general regulations of this Bylaw and with the regulations applicable to the district within which the bare land condominium unit is located as if the unit were a lot or site.
- (2) With the exception of common property lines on semi-detached or attached units, no building on a bare land condominium unit may encroach on any property line, utility easement or right-of-way.
- (3) A bare land condominium plan shall be treated in all respects as though it were a plan of subdivision and shall comply with all requirements for a subdivision, including, but not limited to:
  - (a) adequate pedestrian and vehicle access;
  - (b) provision of supply of water, electrical power, gas and sanitary sewer and storm drainage; and
  - (c) sequencing and timing of construction of all buildings and servicing.

### 6.4. **Bed and Breakfast**

Bed and breakfast establishments shall:

- (a) have no cooking facilities in a guest room;
- (b) have a minimum guest room size of 7 sq. m per single occupant and 4.6 sq. m per person for multiple occupants;
- (c) have a window for each guest room in accordance with the Alberta Building Code in effect at the date of the application for development permit; and

## General Regulations

- (d) have sanitation facilities and potable water as required by relevant authorities.

### 6.5. **Cannabis Retail Store (BL12/2018)**

- (1) A Cannabis Retail Store must be located at least 100 m from any other Cannabis Retail Store. For the purposes of this subsection only, the separation distance shall be measured from the closest point of the proposed Cannabis Retail Store to the closest point of any other approved Cannabis Retail Store;
- (2) At the time of development permit application, the closest point of the proposed cannabis retail store must be located at least:
  - (a) 100 m from the closest point of a parcel upon which a provincial health care facility is located;
  - (b) 150 m from the closest point of a parcel upon which the following facilities are located:
    - i. an elementary or secondary school;
- (3) Notwithstanding the prescribed minimum separation distances in Section 6.5(2), where a major ~~arterial~~ roadway, as identified in Schedule B of this Bylaw, separates the proposed location of a Cannabis Retail Store from any of the facilities, uses or reserves mentioned in Section 6.5(2), such a proposed Cannabis Retail Store may be located across that ~~arterial~~ major roadway from the facility, use or reserve, at a lesser separation distance.
- (4) Notwithstanding Section 3.14(3), when considering a variance to the required separation distance for a Cannabis Retail Store to any of the facilities, uses or reserves mentioned in Section 6.5(2), the variance shall not exceed 10 m:
  - (a) Notwithstanding Section 6.5(4), in the case of Section 6.5(3), the Development Officer shall assess the merits of the application and may at its discretion, vary the separation distance.

### 6.6. **Commercial School and Day Care Facility**

- (1) The maximum number of patrons for which a service may be provided in a Commercial School or Day Care Facility shall be determined by the Development Officer having regard for the gross floor area of the School or Day Care Facility, the nature of the School or Day Care Facility and the District in which it is located, potential increases in traffic and the location of the use in relation to other uses in the area of the development.
- (2) A Commercial School or Day Care Facility that includes a playground, shall provide a separate access to the playground area from the principal building and the playground area shall be enclosed by a fence at least 2 m in height from finished grade, subject to Section 6.6.
- (3) At the discretion of the Development Officer, a Commercial School or Day Care Facility shall provide a drop-off area for the loading and unloading of patrons from vehicles so that the development does not interfere with the regular flow of on-site or neighbouring traffic.

## General Regulations

### 6.7. Corner Lots - Traffic Sight Lines

- (a) On a corner lot, there shall be no development greater than 1 m in height, within the triangular area created by the property lines that form the corner and a straight line connecting the two points 7.5 m back along these property lines measured from their intersection;
- (b) if a corner cut has been taken, the area in clause (a) shall be determined 7.5 m back from what would have been the intersection of property lines if the corner cut had not been taken; and
- (c) in a MC, DT or BW District, the triangular area shall be determined using a line 4 m back from the intersection or projected intersection in clause (a) or (b), unless another distance is required by the Development Officer; and **(BL19/2012)**
- (d) in a DCMU district, the traffic sight lines required in clause (a) may be reduced at the discretion of the Development Officer in consultation with Engineering Services considering the safe functioning of streets and the provision of adequate vehicular sight lines. **(BL 6/2016)**

### 6.8. Design, Character and Appearance of Buildings

- (1) The design, character and appearance of a building including but not limited to all accessory buildings and relocatable buildings, must be:
  - (a) compatible with any other buildings existing on the site and in the vicinity, unless the building, in the opinion of the Development Officer, sets a higher standard of design, character and appearance for a land use district or part of it; and
  - (b) consistent with the purpose and regulations of the land use district in which the building is located.
- (2) The exterior finish of a building, including but not limited to a single-detached house, must be completed within 2 years of the date the development permit is issued unless otherwise stipulated by the development permit.

### 6.9. Easements

Notwithstanding that a development otherwise complies with this Bylaw:

- (a) a development permit shall not be issued for a development that encroaches into or over a utility easement or right-of-way without the written consent of the owner of the easement or right-of-way and the person whose utility line is found in the easement or right-of-way; and
- (b) a principal building or dwelling unit located on a property adjacent to a railway right-of-way must be located at least 15 m from the closest edge of the railway right-of-way property line to the closest edge of the building. **(BL2/2018)**

## General Regulations

### 6.10. Emergency Access Lanes

In a shopping centre:

- (a) emergency access routes and fire lanes shall be provided in accordance with the Alberta Building Code in effect at the date of the application for development permit; and
- (b) emergency access routes and fire lanes shall be appropriately signed to prohibit obstruction.

### 6.11. Designated Flood Line (BL25/2011)

- (1) The designated flood line is indicated on the maps in Schedule G. The cross-sections provided on the maps in Schedule G are based on the *Big Lake Basin Task Force: Floodplain Delineation for the City of St. Albert – Sturgeon River*, Final Report of May 15, 2007 and *Big Lake Basin Task Force: Floodplain Delineation for the City of St. Albert – Carrot Creek*, Final Report of March 15, 2007; and have been taken perpendicular to the natural boundaries of the watercourses at their highest perpendicular points. **(BL7/2015)**
- (2) Developments including, but not limited to, new construction and substantial improvements are prohibited below the designated flood line.
- (3) The designated flood line is the boundary of any filling of land.
- (4) Notwithstanding Section 6.11.(2), development permitted below the designated flood line shall require the approval of the Development Officer in consultation with the City Engineer, and is restricted to: **(BL 22/2020)**
  - (a) development for the purpose of flood control;
  - (b) public utility building;
  - (c) public utility;
  - (d) bridge or public roadway;
  - (e) temporary campgrounds;
  - (f) pedestrian walkways, parks and trails;
  - (g) golf courses;
  - (h) uninhabited accessory buildings;
  - (i) outdoor recreation service use that would not obstruct the area below the designated flood line; and
  - (j) naturalized stormwater management facility that meets the approval of the City Engineer.

## General Regulations

- (5) A structure or premises which lawfully existed below the designated flood line before the enactment of these provisions, but which is not in conformity with these provisions, may be continued subject to the conditions outlined in Section 3.15. Non-Conforming Development and Section 643 of the *Municipal Government Act*.
- (6) For lots adjacent to the designated flood line, or of which a portion lies below the designated flood line, prior to the issuance of a development permit the Development Officer shall require that the applicant submit a set of stamped plans certified by a registered Professional Engineer or Architect which confirms that the requirements of Section 6.10. have been incorporated in the design of the proposed development and identifies the freeboard elevation at 0.5 metres above the designated flood line. **(BL 7/2015)**
- (7) The Development Officer shall circulate a development permit application for a development located on a property adjacent to, or including, the designated flood line to the City's Engineering Department for review and comment with respect to the suitability of the proposed development.
- (8) The requirements of this Section, 6.11, apply to both the permitted and discretionary uses of the land use district applicable to the parcel. **(BL 22/2020)**
- (9) Notwithstanding Subsections (1) through (8), nothing in this Section 6.11 or on the maps in Schedule G modifies, overrides or changes the land use districting as outlined in Schedule A. **(BL 22/2020)**
- (10) The designated flood line as outlined in the maps in Schedule G is presented for reference purposes only and has been generalized for presentation purposes and is not guaranteed for accuracy. The Development Officer will rely on the information required under Subsection (6) to determine the designated flood line on an individual property.

### 6.12. **Garbage Storage**

Garbage storage must be located in:

- (a) a storage bay within, or attached to, the principal building, or
- (b) a freestanding enclosure designed to the satisfaction of the Development Officer.

### 6.13. **Home Occupation**

- (1) A person conducting a home occupation shall not:
  - (a) advertise the home occupation on a sign outside the dwelling unit or garage in which the home occupation is located, unless the sign complies with Schedule C, Sign Regulations;
  - (b) store materials, commodities or finished products associated with the home occupation outside the dwelling unit or garage; and

## General Regulations

- (c) use mechanical equipment in connection with the occupation, unless the equipment is commonly used in a home.
- (2) If a person provides instruction as a home occupation, no more than 5 students or customers shall be in attendance at the site at any one time.
- (3) No person, other than a resident of the dwelling unit, shall be employed in a home occupation.
- (4) The home occupation shall be operated as a secondary use only and shall not change the principal character or external appearance of the dwelling unit or garage involved.
- (5) A home occupation shall not be permitted if
  - (a) it produces offensive noise, vibration, smoke, dust, odour, heat, glare, electrical or radio disturbance; and
  - (b) the Development Officer determines that such use would be more appropriately located in a commercial or industrial district having regard for, among other matters, potential traffic generation and potential interference with the residential character of the area.
- (6) Deleted (**BL 22/2020**)

### 6.14. **Landscaping**

- (1) A landscaped area shall not be permitted if, in the opinion of the Development Officer, it would obstruct traffic sight lines either on the site or on a public roadway.
- (2) Except as otherwise provided in this Bylaw, trees required for a landscaped area must meet the following standards:
  - (a) deciduous trees must have a minimum caliper width of 60 mm at the time of planting;
  - (b) coniferous trees must be a minimum height of 2.4 m at the time of planting;
  - (c) if a tree does not survive a 2 year maintenance period, the applicant for the development permit must replace it with a tree in accordance with clauses (2)(a) or (2)(b);
  - (d) trees must be of a species suitable for the specific application or site;
  - (e) where a landscaped area is required adjacent to a City boulevard, the tree species and planting must complement the City boulevard trees as required by the Development Officer; and
  - (f) where at the time of development the area between the front property line and the curb and/or the curb and sidewalk is not landscaped, this area shall be landscaped to City standards.

## General Regulations

- (3) Subsection (2) does not apply to a development involving single-detached or semi-detached dwelling units, unless the site is located within the Established Neighbourhood Overlay District. **(BL19/2006)**
- (4) Caliper width of a tree shall be measured as follows:
- (a) 150 mm above grade for trees with a caliper of less than 100 mm; and
  - (b) 300 mm above grade for trees with a caliper of more than 100 mm.

(5) Landscaped Buffer

In a district other than a residential district, where this Bylaw requires a landscaped buffer on a site adjacent to a residential use or district, the landscaped buffer:

- (a) must include a mix of deciduous trees and coniferous trees which mix must be comprised of at least 60% coniferous trees unless otherwise determined by the Development Officer taking site features into account;
- (b) must include trees, that in the opinion of the Development Officer, would be sufficient to screen the residential use or district from the commercial or industrial development;
- (c) must have trees that are a minimum of 6 m in height at maturity;
- (d) must have the minimum width as specified for each district as follows unless otherwise determined by the Development Officer taking site features into account:

District	Width of Landscaped Buffer
(i) C1, MT Area C (commercial and mixed use only)	3.5m
(ii) C2	4m
(iii) CC	6m
(iv) CIS, BP2, BPT and BP (BL38/2011)	6m
(v) All Other Districts	As determined by the Development Officer to provide a suitable buffer between the respective land uses; and

**(BL 15/2019)**

- (e) may, at the discretion of the Development Officer, include shrubs in addition to trees in the landscaped buffer provided that the shrubs have a minimum height at maturity of 2 m.
- (6) Parking Lots

## General Regulations

If a parking lot located in MT Area C (commercial and mixed use only), C1, C2, CC, CIS, BP, BP2, BPT, RC, PS, DCMU, DCNUV and IF District is required to be landscaped, those trees must be planted in accordance with the following standards:

- (a) trees must be planted at a minimum ratio of 1 tree per 5 parking stalls for single row parking and a minimum ratio of 1 tree per 10 parking stalls for double row parking;
- (b) the ratio of trees to parking stalls required under (a) may be reduced by the Development Officer where site conditions, including but not limited to location, size, sight lines, and climatic factors, warrant a lesser ratio; and
- (c) a landscaped island must be:
  - (i) designed to protect trees and ground cover from damage;
  - (ii) raised a minimum of 150 mm above the finished grade; and
  - (iii) finished with tree grates, ground cover vegetation or hard landscaping. **(BL15/2019)**

(7) Perimeter Landscaping

Subject to Section 6.6, a development located on a site in MT Area C (commercial and mixed use only), C1, C2, CC, CIS, DCNUV, BP, BP2, BPT, or RC District that adjoins a public roadway, except a lane, or is adjacent to a P, PS or IF District, must be landscaped in accordance with the following:

- (a) there must be a landscaped area at least 3.5 m wide around the perimeter of the private lot, adjacent to the public roadway;
- (b) if deciduous trees are planted, they must be planted at regular intervals, and if coniferous trees are planted, they must be planted in clusters of 3;
- (c) trees must be located a minimum of 2 m from the property line; and
- (d) trees must be a minimum of 6 m in height at maturity. **(BL15/2019)**

(8) Blank Wall

A development located on a site in MT Area C (commercial and mixed use only), C1, C2, CC, CIS, DCMU, DCNUV, BP, BP2, BPT, RC or IF District that has a blank wall facing a P District or public roadway, except a lane, must be landscaped in accordance with the following:

- (a) if deciduous trees are planted they must be planted along the blank wall at regular intervals and if coniferous trees are planted they must be planted in clusters of 3;



## General Regulations

- (b) the trees required under clause (a) must be a minimum of 6 m in height at maturity; and
- (c) shrubs may be planted between the trees provided they reach a minimum height of 2 m at maturity. **(BL15/2019)**
- (9) Unless otherwise required by a Development Agreement or by the Development Officer, landscaping of a site subject to a development permit, including but not limited to a single-detached house, shall be completed within 2 years of approval of the building permit.
- (10) Driveways in a residential district must be paved unless otherwise determined by the Development Officer having regard to the characteristics of landscaped areas in the vicinity or neighbourhood.

### 6.15. **Livestock**

Developments involving livestock are prohibited except as part of an agricultural use and then shall only be allowed in accordance with the relevant municipal bylaws.

### 6.16. **Live/Work Units** **(BL14/2008)**

- (1) Live/work units shall comply with the density provisions or floor area ratio requirements of the underlying district.
- (2) All live/work units should maintain a commercial component, which must comply with the following:
  - (a) the floor area devoted to the commercial component should not exceed 50% of the unit; and
  - (b) the commercial component shall be:
    - (i) located at grade; and
    - (ii) have a public entry oriented to and directly accessible from a public roadway, other than a lane or an undeveloped registered road plan.
- (3) Commercial component uses shall be limited to those uses allowed as a permitted or discretionary use in the underlying land use district and shall be subject to a separate development permit application.
- (4) There shall be direct access between the residential and commercial components of the unit.
- (5) Materials, commodities or finished products associated with the commercial use shall not be stored:
  - (a) outside of the unit; or
  - (b) in a parking stall, including a garage, required to meet minimum parking requirements in Part 7 of this Bylaw.

## General Regulations

- (6) A maximum of two non-resident employees or business partners may work in the unit, and at least one employee or business partner must live in the unit.
- (7) Notwithstanding subsection (4), the residential component shall be separated from the commercial component by a wall, ceiling, door or other separation as approved by the Development Officer.
- (8) Notwithstanding Schedule C, each unit shall only be allowed 1 A-board, awning, canopy, fascia or projecting sign.

### 6.17. **Outdoor Lighting**

- (1) Outdoor lighting must comply with this subsection unless otherwise allowed under this Bylaw.
- (2) Outdoor lighting must be located and arranged so that:
  - (a) rays of light are not directed at an adjacent site and indirect rays of light do not adversely affect an adjacent site; and
  - (b) traffic safety is not adversely affected.

### 6.18. **Outdoor Storage**

Outdoor storage, located on a site adjacent to a P, PS, IF, or residential district shall only be permitted at the discretion of the Development Officer if

- (a) it is screened by:
  - (i) an on-site building,
  - (ii) a solid fence or wall, or
  - (iii) on-site landscaping that provides a year-round screen; and
- (b) it otherwise complies with this Bylaw.

### 6.19. **Pre-fabricated Trailer**

A development permit for a pre-fabricated trailer to be used temporarily for a residential sales centre, sales office, outdoor recreation or public assembly use may be granted at the discretion of the Development Officer for a period specified in the permit.

### 6.20. **Prohibited Uses**

- (1) Notwithstanding any other provision in this Bylaw, the following uses, unless specifically listed as a permitted or discretionary use in the land use district where the site is located, are prohibited as accessory uses to any other use:
  - (a) adult entertainment facilities;
  - (b) animal service;
  - (c) automotive body and paint service;

## General Regulations

- (d) bed and breakfast;
- (e) bingo hall;
- (f) boarding house;
- (g) bulk oil and chemical storage;
- (h) cannabis lounge **(BL12/2018)**
- (h) car wash;
- (i) casino;
- (j) day care facility;
- (k) drive-through business; **(BL19/2012)**
- (l) fleet service;
- (m) funeral home;
- (n) group home;
- (o) health service;
- (p) hospital;
- (q) hotel;
- (r) general industrial **(BL12/2012)**
- (s) intensive agriculture;
- (t) light industrial;  
~~medium industrial~~; **(BL12/2012)**
- (u) long term care housing;
- (v) permanent supportive housing; **(BL 12/2019)**
- (w) pool hall;
- (x) research and development business;
- (y) research laboratory;
- (z) school, commercial;
- (aa) school, elementary or secondary;
- (bb) school, post secondary;
- (cc) solar collector, ground; **(BL27/2019)**

## General Regulations

- (dd) supportive housing; or
- (ee) treatment centre.
- (2) Automotive wrecker is a prohibited use in all land use districts.
- (3) Unless otherwise stated, no person shall use, or permit to be used an accessory building for human occupancy. **(BL2/2018)**
- (4) Notwithstanding subsection (3), in a commercial or industrial land use district or for a property containing a campground or designated as park under Schedule A of this Bylaw the Development Officer may approve an accessory building for human occupancy for the sole purpose of providing security provided that such use complies with all applicable building code and health standards. **(BL30/2007)**

A Phase 1 Environmental Site Assessment (ESA) on industrial site for residential use is required at time of development permit application, and further ESA phases may be required depending on each outcome. **(BL12/2012)**

### 6.21. **Public Utility Lots**

Notwithstanding that a development otherwise complies with this Bylaw, a development permit shall not be issued for a development that encroaches into or over a Public Utility Lot without written consent of the owner.

### 6.22. **Residential Sales Centre**

A residential sales centre:

- (1) must have an exterior finish similar to the existing or proposed residences in the vicinity, unless otherwise permitted by the Development Officer;
- (2) must not be operated for a period of more than 12 months, but the Development Officer may upon application renew a development permit once for up to 12 additional months; and
  - (a) notwithstanding 6.21.(2) permits for residential sales centres in the DCMU district may be renewed annually in conjunction with active development and a valid development permit. **(BL6/2016)**

### 6.23. **Show Home and Raffle Home**

- (1) Where a dwelling unit is used as a show home or raffle home, a separate development permit must be obtained for that use.
- (2) Once the use of a show home or raffle home ceases, any area of the development used as sales office or display area shall revert to residential use.
- (3) A temporary breezeway may connect 2 or more show homes or raffle homes if permitted by the Development Officer.

## General Regulations

- (4) The show home or raffle home must provide sufficient on-site and off-site parking, in the opinion of the Development Officer, to ensure that adjacent sites would not be adversely affected.
- (5) A show home must not be operated for a period of more than 12 months, but the Development Officer may upon application renew a development permit once for up to 12 additional months.
- (6) A raffle home must not be operated for a period of more than 9 months, but the Development Officer may upon application renew a development permit once for up to 9 additional months.
- (7) A raffle home may only be used for the purposes of:
  - (a) public viewing; and
  - (b) sale of tickets in connection with a lottery or raffle in which the home is a prize.
- (8) Where a show home is proposed in a new subdivision, the plan of subdivision for the lots shall be registered prior to issuance of a development permit for the show home.

### 6.24. **Solar Collectors** (BL5/2016)

- (1) Solar Collector, Roof or Wall
  - (a) The solar collector shall be located on the roof or wall of a building.
  - (b) Within the R1, R2, RX, RXL, and RFB Residential Land Use Districts: **(BL 21/2020)**
    - i) a solar collector located on a roof with a pitch of less than 4:12 must not extend beyond the outermost edge of the roof, but may:
      - (A) project a maximum of 0.5 m from the surface of the roof when the solar collector is located 5.0 m or less from a side property line, measured directly from any point along the side property line; and
      - (B) where the solar collector is located more than 5.0 m from a side property line, it may project a maximum of 1.3 m from the surface of the roof.
    - ii) a solar collector located on a roof with a pitch of 4:12 or greater may project a maximum of 1.3 m from the surface of the roof, and must not extend beyond the outermost edge of the roof.
  - (c) Within all Land Use Districts except R1, R2, RX, RXL, and RFB Residential Land Use Districts: **(BL21/2020)**

## General Regulations

- i) a solar collector located on a roof with a pitch of less than 4:12 may project a maximum of 2.0 m from the surface of the roof, and must be located at least 1.0 m inward from the outermost edge of the roof.
    - ii) a solar collector located on a roof with a pitch of 4:12 or greater may project a maximum of 1.3 m from the surface of the roof, and must not extend beyond the outermost edge of the roof.
  - (d) A solar collector located on a pitched roof shall not project vertically beyond the height of any existing roofline or any roof peak.
  - (e) In all instances, the maximum distance by which a solar collector may project from the surface of the roof is determined by measuring the perpendicular distance between the surface of the roof and the exterior surface of the solar collector.
  - (f) A solar collector that is located on a wall may project a maximum of 0.6 m from the surface of that wall.
- (2) Solar Collector, Ground

A solar collector, ground:

- (a) Shall be an accessory use to the principal use on a parcel located in the Commercial and Industrial Services (CIS) Land Use District;
- (b) Shall not project vertically beyond the height of any existing roofline or any roof peak of the principal building;
- (c) Shall comply with the setback requirements for accessory buildings of the District;
- (d) Shall be located in a side yard or rear yard only;
  - i) when located in a side yard, no portion of the installation shall project beyond the front face of the principal building;
- (e) Must be located and arranged so that:
  - i) glare is not directed at an adjacent site and indirect glare does not adversely affect an adjacent site; and
  - ii) traffic safety is not adversely affected.
- (f) Shall not be located adjacent to a residential land use district.

(BL27/2019)

### 6.25. **Stripping and Grading**

- (1) With the exception of those lands governed by a valid development agreement, stripping and grading activities are considered a discretionary use in all districts and require a development permit.

## General Regulations

- (2) In making a decision for a development permit application for stripping and grading, the development officer may impose conditions to:
  - (a) address on-site areas which are subject to erosion, and off-site areas which are vulnerable to damage from erosion and/or sedimentation;
  - (b) limit exposure of loose soil for the shortest feasible time;
  - (c) minimize the size of the area to be exposed at any one time;
  - (d) control surface water runoff originating upgrade of exposed areas to reduce erosion and sediment loss during the period of exposure;
  - (e) reduce impacts on privacy or view of adjacent properties; and
  - (f) prevent off-site sedimentation damage.

### 6.26. **Telecommunication Towers**

- (1) Notwithstanding any other provision of this Bylaw, but subject to Section 2.1(4), Industry Canada regulates the telecommunications industry in Canada and is the authority that approves the location of telecommunication towers.
- (2) Preferred locations for the siting of telecommunication towers include lands districted as BP, BP2, BPT, CIS, RC, C1, C2, CC, DR, R4, MC, DCMU, DCNUV, PS (non school sites) and UR. **(BL 25/2012)**
- (3) Notwithstanding 6.24(2), roof-top towers are preferred in lands districted C1, C2, DR, MC, R4, DCMU, DCNUV, DT and PS. **(BL19/2012)**
- (4) Emergency Services related directly to fire, police and hospital services on lands districted as PS and IF are considered preferred locations solely for towers proposed to enhance emergency uses on those sites.
- (5) Discouraged locations for the siting of telecommunication towers include:
  - (a) lands districted as P, R1, R2, RX, RXL, RFB, R3, R3A, ICC, IF; **(BL 21/2020)**
  - (b) lands designated as a Municipal Historical Resource through Municipal Bylaw or lands designated as a Provincial Historical Resource by the Province of Alberta;
  - (c) lands located within 800 m of Big Lake;
  - (d) lands identified as being environmentally sensitive areas; and
  - (e) local wetlands, riparian areas, areas of large bird concentrations, bird flyways such as ridges and breaks in river vegetation, and areas where visible bird staging and nesting exist.

### 6.27. **Vehicle Access**

- (1) A lot must have at least one legal means of motor vehicle access.

## General Regulations

- (2) Access shall not be allowed from a public roadway across a lot to another public roadway other than a laneway.
- (3) A motor vehicle access from a lot to a public roadway listed in Schedule B must:
  - (a) have a turning space on the lot so that motor vehicles leaving the lot do not back into the major ~~arterial~~ roadway; and
  - (b) comply with the City Traffic Bylaw.



This page left intentionally blank for printing purposes.